

Patons KNITTING BOOK NO. 361



"DUNCAN"—See page 10

P&B
WOOLS

1/6^{d.}



Jim

IN THREE SIZES,
WITH OR WITHOUT SLEEVES

PATONS BLUEBELL CREPE

Size A. 35 ins.

With Sleeves, 16 ozs. Without Sleeves, 10 ozs.

Size B. 38 ins.

With Sleeves, 17 ozs. Without Sleeves, 11 ozs.

Size C. 41 ins.

With Sleeves, 18 ozs. Without Sleeves, 12 ozs.

Length from top of shoulder—

Size A, 22 ins. Size B, 24 ins. Size C, 25 ins.

Length of sleeve from underarm—

Size A, 19½ ins. Size B, 20 ins. Size C, 20½ ins.
(or length desired)

Parfrey Knitting Needles, 1 pair each Nos. 9 and 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 13. **"Twist 2F"** = Knit into front of 2nd st. then 1st st. on left-hand needle, and slip both sts. off needle together. **"Twist 2B"** = Knit into back of 2nd st. then into front of 1st st. on left-hand needle, and slip both sts. off needle together.

TENSION.—To get these measurements it is absolutely necessary to work at a tension to produce 13½ stitches to 2 inches in width on No. 9 Needles. Check tension—see page 13.

Instructions are for smallest size A. Larger sizes B and C are shown thus: [B—.....], [C—.....].

THE FRONT—Using No. 12 Needles, cast on 120 [B—132] [C—144] stitches.

Stop! Have you checked your tension? See page 13.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-four times.

A. 36th row.—* Work 7 sts. in rib, inc. once in next st., rep. from * to end of row. (135 sts.)

B. 36th row.—* Work 7 sts. in rib, inc. once in next st., rep. from * to last 12 sts., work 12 sts. in rib. (147 sts.)

C. 36th row.—* Work 8 sts. in rib, inc. once in next st., rep. from * to last 9 sts., work 9 sts. in rib. (159 sts.) Using No. 9 Needles, proceed as follows:—

**** 1st row.**—P.1, K.5, [B—K.5, P.2, K.5] [C—K.1, P.1, "Twist 2F," (P.2, K.5), twice], P.2, ("Twist 2F," P.1), four times, P.1, (K.5, P.2), twice, ("Twist 2F," P.1), four times, P.1, (K.5, P.2), twice, ("Twist 2F," P.1), four times, P.1, (K.5, P.2), twice, ("Twist 2F," P.1), four times, P.1, K.5, P.1, [B—P.1, K.5, P.2, K.5] [C—P.1, (K.5, P.2), twice, "Twist 2F," P.1, K.1].

2nd row.—K.1, P.5, [B—P.5, K.2, P.5] [C—P.1, K.1, P.2, (K.2, P.5), twice], K.2, (P.2, K.1), four times, K.1, (P.5, K.2), twice, (P.2, K.1), four times, K.1, (P.5, K.2),

twice, (P.2, K.1), four times, K.1, (P.5, K.2), twice, (P.2, K.1), four times, K.1, P.5, K.1, [B—K.1, P.5, K.2, P.5] [C—K.1, (P.5, K.2), twice, P.2, K.1, P.1].

3rd row.—P.1, K.5, [B—K.5, P.2, K.5] [C—K.1, P.1, "Twist 2B," (P.2, K.5), twice], P.2, ("Twist 2B," P.1), four times, P.1, (K.5, P.2), twice, ("Twist 2B," P.1), four times, P.1, (K.5, P.2), twice, ("Twist 2B," P.1), four times, P.1, (K.5, P.2), twice, ("Twist 2B," P.1), four times, P.1, K.5, P.1, [B—P.1, K.5, P.2, K.5] [C—P.1, (K.5, P.2), twice, "Twist 2B," P.1, K.1].

4th row.—Like 2nd row. **

For Pullover with Sleeves.—Rep. from ** to ** twenty-three [B—twenty-six] [C—twenty-nine] times, then 1st and 2nd rows once in A and B only.

For Pullover without Sleeves.—Rep. from ** to ** twenty-one [B—twenty-four] [C—twenty-eight] times, then 1st and 2nd rows once in A and B only.

Cast off 8 [B—10] [C—12] sts. at beg. of next 2 rows. ***

For Pullover with Sleeves.—In next row: K.2 tog., work 56 [B—60] [C—64] sts. in patt., K.2 tog., turn.

Keeping continuity of patt. on these 58 [B—62] [C—66] sts., dec. once at beg. of needle in every alt. row, eight [B—nine] [C—ten] times, whilst at same time dec. once at neck edge in every 4th row, four [B—four] [C—five] times. (46 [B—49] [C—51] sts.)

For Pullover without Sleeves.—Dec. once at each end of needle in next and every alt. row, until 111 [B—119] [C—127] sts. remain.

Work 1 row without shaping.

In next row.—K.2 tog., work 52 [B—56] [C—60] sts. in patt., K.2 tog., turn.

Keeping continuity of patt. on these 54 [B—58] [C—62] sts., dec. once at beg. of needle in every alt. row, four [B—five] [C—six] times, whilst at same time dec. once at neck edge in every 4th row, twice [B—twice] [C—three] times, (48 [B—51] [C—53] sts.)

For Pullover with or without Sleeves.—Continue dec. at neck edge only in 4th [B—2nd] [C—4th] row, then in every following 4th row, until 33 [B—36] [C—39] sts. remain.

Work 12 [B—16] [C—20] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 8 [B—9] [C—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 16 [B—18] [C—20] sts., turn.

5th row.—Work to last 24 [B—27] [C—30] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front.

THE BACK—Work exactly as given for Front to ***.

Dec. once at each end of needle in next and every alt. row, until 101 [B—107] [C—113] sts. remain.

Continue without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 8 [B—9] [C—10] sts., turn.

3rd and 4th rows.—Work to last 16 [B—18] [C—20] sts., turn.

5th and 6th rows.—Work to last 24 [B—27] [C—30] sts., turn.

7th and 8th rows.—Work to last 33 [B—36] [C—39] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 60 [B—64] [C—68] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-five times.

Using No. 9 Needles, proceed as follows:—

1st row.—K.1, [B—K.3] [C—K.5], * P.2, K.5, rep. from * to last 3 [B—5] [C—7] sts., P.2, K.1, [B—P.2, K.3] [C—P.2, K.5].

2nd row.—P.1, [B—P.3] [C—P.5], * K.2, P.5, rep. from * to last 3 [B—5] [C—7] sts., K.2, P.1 [B—K.2, P.3] [C—K.2, P.5].


Rep. 1st and 2nd rows three times.

Continue in patt., inc. once at each end of needle in next and every following 8th row, until there are 98 [B—102] [C—106] sts. on needle.

Continue without shaping, until side edge measures 19½ [B—20] [C—20½] ins. (or length desired) from commencement.

Cast off 2 [B—2] [C—3] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt.



row, until 48 [B—54] [C—58] sts. remain, then in every row, until 32 [B—32] [C—34] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND—Using an ⅛ of an inch back-stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 75 [B—79] [C—81] sts. along left side of neck, (knitting up last st. from centre front), 74 [B—78] [C—80] sts. along right side of neck, and 36 [B—38] [C—38] sts. across back of neck. (185 [B—195] [C—199] sts.)

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Work 6 rows in rib, dec. 1 st. at each side of centre point of "V" neck in every row. Cast off loosely in rib.

THE ARMHOLE BANDS—Using an ⅛ of an inch back-stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 148 [B—158] [C—168] *sts. round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row six times. Cast off loosely in rib.

Work other Armhole Band in same manner.

TO MAKE UP PULLOVER—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an ⅛ of an inch back-stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without sleeves: Sew up side seams. Finally, press all seams.



95
300

Don

IN THREE SIZES—
WITH OR WITHOUT SLEEVES

PATONS AZALEA CROCHET WOOL

To fit Size A 36-37, Size B 39-40, Size C 42-43
inch chest.

With Sleeves:

Size A, 11 ozs. Size B, 12 ozs. Size C, 13 ozs.

Without Sleeves:

Size A, 7 ozs. Size B, 8 ozs. Size C, 9 ozs.

Small Quantity of Two Contrasting Colours for
Embroidery.

Length from top of shoulder—

Size A, 23 ins. Size B, 24 ins. Size C, 25 ins.

Length of sleeve from underarm—

Size A, 20 ins. Size B, 20 ins. Size C, 20½ ins.
(or length desired)

Parfrey Knitting Needles, 1 pair each Nos. 10
and 12, measured on a Beehive Needle
Gauge.


ABBREVIATIONS: See page 13.

TENSION: To get these measurements it is
absolutely necessary to work at a tension to
produce 8 stitches to the inch in width on
No. 10 Needles. Check tension—see page 13.


Instructions are for smallest size A. Larger sizes B
and C are shown thus: [B—.....], [C—.....].

THE FRONT—Using No. 12 Needles, cast on 144
[B—156] [C—168] stitches.

Stop! Have you checked your tension? See page 13.



■ GREEN ■ BROWN



1st row.—K.2, * P.1, K.1, rep. from * to end of row.
Rep. 1st row fifty-one times.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain. 2nd row.—Purl.

For Pullover with Sleeves:

Rep. 1st and 2nd rows, until work measures 15
[B—15½] [C—16] ins. from commencement, ending
with a purl row.

For Pullover without Sleeves:

Rep. 1st and 2nd rows, until work measures 14
[B—14½] [C—15] ins. from commencement, ending
with a purl row.

Cast off 6 [B—8] [C—10] sts. at beg. of next 2
rows. ***

For Pullover with Sleeves: In next row: K.2 tog.,
K.62 [B—K.66] [C—K.70], K.2 tog., turn.

Dec. once at armhole edge in every alt. row, six
[B—seven] [C—eight] times, whilst at same time dec.
once at neck edge in every 4th row, three [B—three]
[C—four] times. (55 [B—58] [C—60] sts.)

Continue dec. at neck edge only in 4th [B—2nd]
[C—4th] and every following 4th row, until 37 [B—39]
[C—41] sts. remain.

For Pullover without Sleeves: Dec. once at each end of
needle in next and every alt. row, until 124 [B—130]
[C—138] sts. remain.

Work 1 row without shaping.

[Continued on page 12]

Des

IN TWO SIZES,
WITH OR WITHOUT SLEEVES

PATONS BEEHIVE FINGERING, 4-Ply—"PATONISED" Shrink-Resistant

Size A. 37-38 inch chest.

With Sleeves, 13 ozs. Without Sleeves, 9 ozs.

Size B. 40-41 inch chest.

With Sleeves, 15 ozs. Without Sleeves, 10 ozs.

Length from top of shoulder—

Size A 24 ins. **Size B** 25 ins.

Length of sleeve from underarm—

Size A 20 ins. **Size B** 20½ ins.
(or length desired)

Parfrey Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 13. "Twist 3"
= twist by knitting into third, second and first sts. on left-hand needle and slipping all 3 sts. off together.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width on No. 10 Needles. Check tension—see page 13.

Instructions are for smaller size A. Larger size B is shown thus: [B—.....].



THE FRONT—Using No. 12 Needles, cast on 128 [B—140] stitches.

Stop! Have you checked your tension? See page 13.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row forty times.

42nd row.—Work 9 [B—15] sts. in rib, * inc. once in next st., work 9 sts. in rib, rep. from * to last 9 [B—15] sts., inc. once in next st., work 8 [B—14] sts. in rib. (140 [B—152] sts.)

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—K.19 [B—K.25], * P.1, K.2, P.1, K.4, P.1, K.6, P.1, K.4, P.1, K.2, P.1, K.15, rep. from * to last 4 [B—10] sts., K.4 [B—K.10].

2nd and 4th rows.—Purl.

3rd row.—K.19 [B—K.25], * P.1, K.2, P.1, K.4, P.1 ("Twist 3"), twice, P.1, K.4, P.1, K.2, P.1, K.15, rep. from * to last 4 [B—10] sts., K.4 [B—K.10].

5th row.—Like 1st row. **6th row.**—Purl. **

For Pullover with Sleeves:

Rep. from ** to ** nineteen [B—twenty] times, then 1st to 4th rows once in **Size B** only.

For Pullover without Sleeves:

Rep. from ** to ** sixteen [B—seventeen] times, then 1st and 2nd rows once.

Cast off 9 [B—11] sts. at beg. of next 2 rows. ***

For Pullover with Sleeves:

In next row.—K.2 tog., work 59 [B—63] sts. in patt., turn.

Keeping continuity of patt., dec. once at beg. of needle in every alt. row, five times, whilst at same time dec. once at neck edge in 2nd and following 4th row, twice. (52 [B—56] sts.)

For Pullover without Sleeves:

Dec. once at each end of needle in next and every alt. row, until 110 [B—118] sts. remain.

Work 3 [B—7] rows without shaping.

In next row.—Work 55 [B—59] sts., turn.

Keeping continuity of patt., dec. once at neck edge only in 2nd and following 4th row, twice. (52 [B—56] sts.)

For Pullover with or without Sleeves:

Continue dec. at neck edge only in every following 4th row, until 36 [B—40] sts. remain.

Work 6 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 18 [B—20] sts., turn.

5th row.—Work to last 27 [B—30] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ***.

Dec. once at each end of needle in next and every alt. row, until 110 [B—118] sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] sts., turn.

5th and 6th rows.—Work to last 27 [B—30] sts., turn.

7th and 8th rows.—Work to last 36 [B—40] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 64 [B—72] stitches.

[Continued on page 13]



Maxwell ²

IN THREE SIZES, WITH "V" OR ROUND NECK—
WITH OR WITHOUT SLEEVES

PATONS BEEHIVE CREPE

To fit Size A 36, Size B 38, Size C 40 in. chest.

"V" NECK:

With Sleeves—

Size A, 11 ozs. Size B, 11 ozs. Size C, 12 ozs.

Without Sleeves—

Size A, 7 ozs. Size B, 8 ozs. Size C, 9 ozs.

ROUND NECK:

With Sleeves—

Size A, 11 ozs. Size B, 12 ozs. Size C, 13 ozs.

Without Sleeves—

Size A, 7 ozs. Size B, 8 ozs. Size C, 9 ozs.

Length from top of shoulder—

Size A, 23 ins. Size B, 25 ins. Size C, 26 ins.

Length of sleeve from underarm—

All sizes, 20½ ins. (or length desired).

Parfrey Knitting Needles, 1 pair each Nos. 10 and 12, 1 set of four No. 12, measured on a Beehive Needle Gauge.

Two Stitch Holders.

ABBREVIATIONS: See page 13.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width on No. 10 Needles. Check tension—see page 13.

Instructions are for smallest size A. Larger sizes B and C are shown thus: [B—.....], [C—.....].

PULLOVER WITH "V" NECK:

THE FRONT—Using No. 12 Needles, cast on 152 [B—160] [C—168] stitches.

Stop! Have you checked your tension? See page 13.
1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row fifty-one times, inc. once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

** 1st row.—
P.2, * K.1, P.3, rep. from * to last 3 sts., K.1, P.2.

2nd row.—K.2, * P.1, K.3, rep. from * to last 3 sts., P.1, K.2.

Rep. 1st and 2nd rows twice.

7th row.—* K.1, P.1, rep. from * to last st., K.1.

8th row.—* P.1, K.1, rep. from * to last st., P.1.

9th row.—* K.1, P.3, rep.

from * to last st., K.1.

10th row.—* P.1, K.3, rep. from * to last st., P.1.

Rep. 9th and 10th rows twice.

15th row.—As 7th row.

16th row.—* P.1, K.1, rep. from * to last st., P.1. **

For Pullover with Sleeves:

Rep. from ** to ** six [B—seven] [C—eight] times.

For Pullover without Sleeves:

Rep. from ** to ** five [B—six] [C—seven] times.

Cast off 8 [B—10] [C—12] sts. at beg. of next 2 rows, then 2 [B—3] [C—3] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row, until 125 [B—127] [C—131] sts. remain. ***

Work 17 rows without shaping.

In next row.—Work 61 [B—62] [C—64] sts. in patt., K.2 tog., work to end of row.

Continue on these last 62 [B—63] [C—65] sts., dec. once at neck edge in every following 3rd row, until 40 [B—41] [C—43] sts. remain.

For Pullover with Sleeves: Work 3 rows without shaping.

For Pullover without Sleeves: Work 19 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 10 [B—10] [C—11] sts., turn.

2nd and 4th rows.—Work to end of row.


3rd row.—Work to last 20 [B—20] [C—22] sts., turn.

5th row.—Work to last 30 [B—30] [C—33] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

[Continued on page 13]



unto 60 Errol

WITH ROUND OR POLO NECK

PATONS BEEHIVE FINGERING,

3-Ply—"PATONISED" Shrink-Resistant

To fit Size A 36-37, Size B 41-42 inch chest.

Size A 10 ozs. Size B 12 ozs.

Parfrey Knitting Needles, 1 pair each Nos. 10 and 12, and 1 set of four No. 12, measured on a Beehive Needle Gauge.

Two Stitch Holders.

Length from top of shoulder—

Size A 24 ins. Size B 25 ins.

Length of sleeve from underarm—

Size A 20 ins. Size B 20½ ins.
(or length desired)

ABBREVIATIONS: See page 13.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width on No. 10 Needles. Check tension—see page 13.

Instructions are for smaller size A. Larger size B is shown thus: [B—.....].

THE FRONT—Using No. 12 Needles, cast on 126 [B—136] stitches.

Stop! Have you checked your tension?
See page 13.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row fifty times.

52nd row.—* Work 17 [B—6] sts. in rib, inc. once in next st., rep. from * to end of row [B—to last 3 sts., work 3 sts. in rib]. (133 [B—155] sts.)

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—K.1, * K.8, P.5, K.9, rep. from * to end of row.

2nd row.—Purl.

Rep. 1st and 2nd rows once, then 1st row once.

6th row.—P.1, * P.7, K.1, P.5, K.1, P.8, rep. from * to end of row.

7th row.—K.1, * K.6, P.1, K.7, P.1, K.7, rep. from * to end of row.

8th row.—P.1, * P.5, K.1, P.9, K.1, P.6, rep. from * to end of row.

9th row.—K.5, * P.1, K.11, P.1, K.9, rep. from * to last 18 sts., P.1, K.11, P.1, K.5.

10th row.—P.1, * P.3, K.1, P.13, K.1, P.4, rep. from * to end of row.

11th row.—K.3, * P.1, K.15, P.1, K.5 rep. from * to last 20 sts., P.1, K.15, P.1, K.3.

12th row.—K.3, * P.17, K.5, rep. from * to last 20 sts., P.17, K.3.

13th row.—Knit plain.

Rep. 12th and 13th rows once, then 12th row once.

17th row.—Like 11th row.

18th row.—Like 10th row.

19th row.—Like 9th row.



20th row.—Like 8th row.

21st row.—Like 7th row.

22nd row.—Like 6th row. **

Rep. from ** to ** four [B—five] times, A only; then from ** to 12th row once.

Cast off 7 [B—11] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row, until 107 [B—115] sts. remain, then in every following 4th row, until 103 [B—111] sts. remain. ***

Work 43 rows in patt. without shaping.

In next row.—Work 42 [B—45] sts. in patt., turn.

Continue in patt. on these 42 [B—45] sts., dec. once at end of needle in every alt. row, until 36 [B—38] sts. remain, then in every following 4th row, until 34 [B—36] sts. remain.

Work 4 [B—6] rows in patt. without shaping.

Shape shoulder as follows:—

1st row.—Work in patt. to last 7 [B—7] sts., turn.

2nd and alt. rows.—Work in patt. to end of row.

3rd row.—Work in patt. to last 14 [B—14] sts., turn.

5th row.—Work in patt. to last 21 [B—22] sts., turn.

7th row.—Work in patt. to last 28 [B—30] sts., turn.

8th row.—Like 2nd row. Cast off.

Slip next 19 [B—21] sts. on to a stitch holder, join in wool, and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ***.
[Continued on page 14]

Havel

PATONS BEEHIVE FINGERING,
4-Ply—"PATONISED"
Shrink-Resistant

To fit 37-38 inch chest.

Dark Wool, 8 ozs. Light Wool, 9 ozs.
Length from top of shoulder, 24 ins.
Length of sleeve from underarm, 20
ins. (or length desired).

Parfrey Knitting Needles, 1 pair each
Nos. 9 and 12, 1 set of four No. 12,
measured on a Beehive Needle
Gauge.

A Stitch Holder.

ABBREVIATIONS: See page 13.

TENSION: To get these measurements
it is absolutely necessary to work at a
tension to produce $7\frac{1}{2}$ stitches to the
inch in width on No. 9 Needles,
measured over Fair Isle pattern.
Check tension—see page 13.

*Note:—Do not weave colours in Fair
Isle pattern, but carry loosely across
back of work. It is important, how-
ever, that no colour should be stranded
over more than 5 sts., and where it
has to lie across more than 7 sts. it
should be woven over and under 5th
and 6th sts. to prevent long loops on
back of work.*




CHART B




CHART A

THE FRONT—Using No. 12 Needles and Dark Wool, cast on 120 stitches.

Stop! Have you checked your tension? See page 13.

1st row.—K.1, * P.2, K.2, rep. from * to last 3 sts., P.2, K.1.

2nd row.—P.1, * K.2, P.2, rep. from * to last 3 sts., K.2, P.1.

Rep. 1st and 2nd rows twenty-one times, then 1st row once.

46th row.—* Work 4 sts. in rib, inc. once in next st., rep. from * to last 6 sts., inc. once in next st., work 5 sts. in rib. (143 sts.)

Using No. 9 Needles, proceed to work Scandinavian patt. from Chart A, noting that in the centre panel, rows 1-10 incl. are worked followed by rep. of rows 11-22 incl. throughout the rest of the Front; the zig-zag patt. at each side of centre front is rep. of rows 1-6 incl., and the floral patt. at each side of zig-zag stripes rep. of rows 1-16 incl.

Continue in patt., until work measures 15½ ins. from commencement.

Cast off 10 sts. at beg. of next 2 rows, then dec. once at each end of the needle in next and every alt. row, until 105 sts. remain.

Continue in patt. without shaping, until work measures 6½ ins. from beg. of armhole shaping, finishing with a Purl row.

In next row.—Work 41 sts. in patt., slip next 23 sts. on to a stitch holder, work to end of row.

Continue on last 41 sts., dec. once at neck edge in every row, until 37 sts. remain, then every alt. row, until 33 sts. remain.

Continue on these sts., until work measures 8½ ins. from beg. of armhole shaping, finishing at neck edge.



Shape shoulder as follows:—

1st row.—Work to last 11 sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 22 sts., turn.

4th row.—Like 2nd row. Cast off.



Join in wool, and work on remaining sts. to correspond with other side.

THE BACK—Using No. 12 Needles and Dark Wool, cast on 120 stitches.

1st row.—K.1, * P.2, K.2, rep. from * to last 3 sts., P.2, K.1.

2nd row.—P.1, * K.2, P.2, rep. from * to last 3 sts., K.2, P.1.

Rep. 1st and 2nd rows twenty-one times, then 1st row once.

16th row.—Work 5 sts. in rib, * inc. once in next st., work 5 sts. in rib, rep. from * to last 7 sts., inc. once in next st., work 6 sts. in rib. (139 sts.)

Using No. 9 Needles, proceed in Scandinavian patt. from Chart B, until work measures same as Front to armhole shaping, noting that zig-zag patt. are rep. of rows 1-6 incl., and floral patts. rep. of rows 1-16 incl.

Cast off 8 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 105 sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 11 sts., turn.

3rd and 4th rows.—Work to last 22 sts., turn.

5th and 6th rows.—Work to last 33 sts., turn.

7th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles and Dark Wool, cast on 60 stitches.

1st row.—K.1, * P.2, K.2, rep. from * to last 3 sts., P.2, K.1.

2nd row.—P.1, * K.2, P.2, rep. from * to last 3 sts., K.2, P.1.

Rep. 1st and 2nd rows eighteen times, then 1st row once.

40th row.—Work 6 sts. in rib, * inc. once in next st., work 2 sts. in rib, rep. from * to last 6 sts., inc. once in next st., work 5 sts. in rib. (77 sts.)

Using No. 9 Needles, proceed in Scandinavian patt. from point Y-X marked on Chart A, noting that the rep. of patt. are worked as on Front, and working inc. sts. into patt. throughout, inc. once at each end of needle in 3rd and every following 8th row, until there are 109 sts. on needle.

Continue in patt. without shaping, until side edge measures 20 ins. (or length desired) from commencement.

Cast off 6 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 35 sts. remain.

Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

THE POLO COLLAR—Using an ⅛ of an inch back-stitch seam, sew up shoulder seams.

With right side of work facing, and using four No. 12 Needles, knit up 136 sts. round neck (incl. sts. from stitch holder).

[Continued on page 15]

Duncan

IN TWO SIZES, WITH OR WITHOUT SLEEVES—"V" OR POLO NECK
ILLUSTRATED ON FRONT COVER

PATONS TOTEM KNITTING WOOL

Size A. 38 ins.

With Sleeves, "V" Neck, 22 ozs. Without Sleeves, 14 ozs. With Sleeves, Polo Neck, 22 ozs.

Size B. 42 ins.

With Sleeves, "V" Neck, 23 ozs. Without Sleeves, 16 ozs. With Sleeves, Polo Neck, 25 ozs.

Length from top of shoulder—

Size A 24 ins.

Size B 25½ ins.

Length of sleeve from underarm—

Size A 20 ins.

Size B 20½ ins.

(or length desired)

Parfrey Knitting Needles, 1 pair each Nos. 8 and 10, and 1 set of four No. 10, measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 13.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 1 pattern to 1¾ ins. in width on No. 8 Needles. Check tension—see page 13.

Instructions are for smaller size A. Larger size B is shown thus: [B—.....].

PULLOVER WITH "V" NECK:

THE FRONT—Using No. 10 Needles, cast on 108 [B—118] stitches.

Stop! Have you checked your tension? See page 13.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-nine times, inc. once at end of needle in last row.

Using No. 8 Needles, proceed as follows:—

**** 1st row.**—P.1, * (P.1, K.2), twice, P.1, K.3, rep. from * to last 8 sts., (P.1, K.2), twice, P.2.

2nd row.—K.1, * (K.1, P.2), twice, K.1, P.3, rep. from * to last 8 sts., (K.1, P.2), twice, K.2.

3rd row.—P.1, * P.1, knit into back of 2nd st., then into front of first st., P.1, knit into front of 2nd st., then knit 1st st., P.1, K.3, rep. from * to last 8 sts., P.1, knit into back of 2nd st., then into front of 1st st., P.1, knit into front of 2nd st., knit 1st st., P.2.

4th row.—Like 2nd row. **

For Pullover with Sleeves: Rep. from ** to ** twenty-two [B—twenty-four] times.

For Pullover without Sleeves: Rep. from ** to ** nineteen [B—twenty-one] times.

Cast off 4 [B—7] sts. at beg. of next 2 rows. ***

For Pullover with Sleeves: In next row, K.2 tog., work 47 [B—49] sts. in patt., K.2 tog., turn.

Keeping continuity of patt. on these 49 [B—51] sts., dec. once at armhole edge in every alt. row, five times, whilst at same time dec. once at neck

edge in following 4th row, twice. (42 [B—44] sts.)

For Pullover without Sleeves: Dec. once at each end of needle in next and every alt. row, until 91 [B—95] sts. remain.

Work 1 row without shaping.

In next row.—K.2 tog., work 42 [B—44] sts. in patt., K.2 tog., turn.

Work 2 rows without shaping.

For Pullover with or without Sleeves: Continue dec. at neck edge only in 2nd and every following 4th row, until 29 [B—30] sts. remain.

Work 2 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 7 [B—7] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 14 [B—14] sts., turn.

5th row.—Work to last 21 [B—21] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at centre front, and work on remaining sts. to correspond with other side, omitting K.2 tog. at centre front.

THE BACK—Work exactly as given for Front to ***.

Dec. once at each end of needle in next and every alt. row, until 89 [B—93] sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 7 [B—7] sts., turn.

3rd and 4th rows.—Work to last 14 [B—14] sts., turn.

5th and 6th rows.—Work to last 21 [B—21] sts., turn.

7th and 8th rows.—Work to last 29 [B—30] sts., turn.

9th row.—Work to end of row. Cast off.

[Continued on page 15]



Wally

IN TWO SIZES—ILLUSTRATED ON BACK COVER

PATONS BLUEBELL CREPE

Size A. 37-38 ins. 17 ozs. **Size B.** 41-42 ins. 19 ozs.
 Length from top of shoulder **Both Sizes** 23½ ins.
 Length of sleeve from underarm **Both Sizes** 20 ins.
 Parfrey Knitting Needles, 1 pair each Nos. 8 and 11, measured on a Beehive Needle Gauge.
 Two Stitch Holders. Ten Medium Beutron Buttons.

ABBREVIATIONS: See page 13. Tw2f = Insert point of right-hand needle knitwise into front of 2nd st.; keeping point of this needle at front of work, knit the stitch in the ordinary way; now knit into front of 1st st., then slip both stitches off left-hand needle together. Tw2b = Twist 2 back by taking right-hand needle to back of work and knitting into back of 2nd st., then into 1st st. of left-hand needle in ordinary way and slipping both these sts. off needle together.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 7 stitches to the inch in width on No. 8 Needles. Check tension—see page 13.

Instructions are for smaller size A. Larger size B is shown thus: [B—.....].

THE POCKET LININGS.—Using No. 11 Needles, cast on 32 stitches.

Stop! Have you checked your tension? See page 13.

1st row.—Knit plain. **2nd row.**—Purl.

Rep. 1st and 2nd rows, until work measures 5 ins. from commencement, finishing at end of 1st row.

Break off wool, leave these sts. on a stitch holder.

Work another Pocket Lining in same manner.

THE RIGHT FRONT—Using No. 11 Needles, cast on 62 [B—70] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row twenty-one times.

Using No. 8 Needles, proceed as follows:—

**** 1st row.**—P.2 [B—P.1], * (Tw2f), twice, P.2, wl. back, slip 1 purlwise, wl. fwd., P.2, rep. from * to last 6 [B—6] sts., (Tw2f), twice, P.2.

2nd row.—K.2, * P.4, K.2, P.1 t.b.l., K.2, rep. from * to last 6 [B—5] sts., P.4, K.2 [B—P.4, K.1].

3rd row.—P.2 [B—P.1], * (Tw2b), twice, P.2, wl. back, slip 1 purlwise, wl. fwd., P.2, rep. from * to last 6 [B—6] sts., (Tw2b), twice, P.2.

4th row.—K.2, * P.4, K.2, P.1 t.b.l., K.2, rep. from * to last 6 [B—5] sts., P.4, K.2 [B—P.4, K.1]. **

Rep. from ** to ** eleven times, then 1st row once.

In next row.—Work 15 [B—19] sts. in patt., slip next 32 sts. on stitch holder, slip pocket sts. on to left-hand needle, work in patt. to end of row.

Rep. 3rd and 4th rows once, then from ** to ** eighteen times, then 1st row once.

Cast off 8 [B—10] sts. at beg. of next row, then dec. once at armhole edge in every alt. row, seven times, whilst at same time dec. once at front edge in next and every following 6th row, eleven times. (36 [B—42] sts.)

Work 7 [B—11] rows in patt. without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] sts., turn.

2nd and alt. rows.—Work to end of row.

3rd row.—Work to last 18 [B—20] sts., turn.

5th row.—Work to last 27 [B—31] sts., turn.

6th row.—Like 2nd row. Cast off.

THE LEFT FRONT—Using No. 11 Needles, cast on 62 [B—70] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row twenty-one times.

Using No. 8 Needles, proceed as follows:—

1st row.—* P.2, (Tw2f), twice, P.2, wl. back, slip 1 purlwise, wl. fwd., rep. from * to last 8 [B—7] sts., P.2, (Tw2f), twice, P.2 [B—P.2, (Tw2f), twice, P.1].


2nd row.—K.2 [B—K.1], * P.4, K.2, P.1 t.b.l., K.2, rep. from * to last 6 [B—6] sts., P.4, K.2.

3rd row.—* P.2, (Tw2b), twice, P.2, wl. back, slip 1 purlwise, wl. fwd., rep. from * to last 8 [B—7] sts., P.2, (Tw2b), twice, P.2 [B—P.2 (Tw2b), twice, P.1].

4th row.—K.2 [B—K.1], * P.4, K.2, P.1 t.b.l., K.2, rep. from * to last 6 [B—6] sts., P.4, K.2.

Continue in patt. as for Right Front, working pocket and shapings at opposite ends of needle.

THE BACK—Using No. 11 Needles, cast on 134 [B—152] sts.



1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row twenty-one times.

Using No. 8 Needles, proceed as follows:—

**** 1st row.**—* P.2, (Tw2f), twice, P.2, wl. back, slip 1 purlwise, wl. fwd., rep. from * to last 8 [B—8] sts., P.2, (Tw2f), twice, P.2.

2nd row.—* K.2, P.4, K.2, P.1 t.b.l., rep. from * to last 8 [B—8] sts., K.2, P.4, K.2.

3rd row.—* P.2, (Tw2b), twice, P.2, wl. back, slip 1 purlwise, wl. fwd., rep. from * to last 8 [B—8] sts., P.2, (Tw2b), twice, P.2.

4th row.—Like 2nd row. **

Rep. from ** to ** thirty times.

Cast off 8 [B—10] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 106 [B—118] sts. remain.

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] sts., turn.

5th and 6th rows.—Work to last 27 [B—31] sts., turn.

7th and 8th rows.—Work to last 36 [B—42] sts., turn.

9th row.—Work in patt. to end of row. Cast off.

THE SLEEVES—Using No. 11 Needles, cast on 62 [B—70] stitches.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row twenty-nine times, inc. once at end of needle in last row in size B only.

Using No. 8 Needles, proceed as follows:—

Work in patt. as given from ** to ** for Back, inc. once at each end of needle in 5th and every following 6th row, until there are 110 [B—119] sts. on needle. Continue in patt. without shaping, until work measures 20 [B—20] ins. from commencement.

Cast off 8 [B—10] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 34 [B—39] sts. remain. Cast off.

Work another Sleeve in same manner.

POCKET TOPS—Slip sts. from stitch holder on to No. 11 Needles.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row seven times. Cast off in rib.

Work other Pocket Top in same manner.

THE FRONT BAND—Using No. 11 Needles, cast on 11 stitches.

1st row.—K.2, (P.1, K.1), four times, K.1.

2nd row.—(K.1, P.1), five times, K.1.

3rd and 4th rows.—Rep. 1st and 2nd rows once.

5th row.—K.2, P.1, K.1, cast off 3 sts., rib to end of row.

6th row.—(K.1, P.1), twice, cast on 3 sts., rib to end of row.

Continue in rib, working a buttonhole as before in 13th and 14th rows from previous buttonhole, until 10 buttonholes have been worked.

Continue without further buttonholes until band measures required length. Cast off in rib.

TO MAKE UP JACKET—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an ⅛ of an inch back-stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Using a flat seam, sew pocket linings and tops in position. Using an ⅛ of an inch back-stitch seam, sew band along fronts and across back of neck. Sew on buttons to correspond with buttonholes. Finally, press all seams.

Don *(continued from page 4)*

In next row.—K.2 tog., K.58 [B—K.61] [C—K.65], K.2 tog., turn.

Dec. once at armhole edge in every alt. row, twice, [B—twice] [C—three] times, whilst at same time dec. once at neck edge in 4th [B—4th] [C—4th] row. (57 [B—60] [C—63] sts.)

Continue dec. at neck edge only in 4th [B—4th] [C—2nd] and every following 4th row, until 37 [B—39] [C—41] sts. remain.

For Pullover with or without Sleeves:

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] [C—10] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 18 [B—20] [C—20] sts., turn.

5th row.—Work to last 27 [B—30] [C—30] sts., turn.

6th row.—Like 2nd row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ***. Dec. once at each end of needle in next and every alt. row, until 118 [B—124] [C—130] sts. remain.

Continue without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] [C—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] [C—20] sts., turn.

5th and 6th rows.—Work to last 27 [B—30] [C—30] sts., turn.

7th and 8th rows.—Work to last 37 [B—39] [C—41] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 78 [B—82] [C—82] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row thirty-nine times.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end of needle in next and every following 8th row, until there are 116 [B—120] [C—120] sts. on needle.

Continue without shaping, until side edge measures 20 [B—20] [C—20½] ins. (or length desired) from commencement.

Cast off 6 [B—6] [C—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 32 [B—32] [C—32] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using an ⅛ of an inch back-stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 81 [B—85] [C—89] sts. along left side of neck, (knitting up last st. from centre front), 80 [B—84] [C—88] sts. along right side of neck, and 44 [B—46] [C—48] sts. across back of neck. (205 [B—215] [C—225] sts.)

Work 9 rows in K.1, P.1 rib, dec. once at each side of centre point of "V" Neck in every row. Cast off in rib.

THE ARMHOLE BANDS—Using an ⅛ of an inch back-stitch seam, sew up left shoulder seam. With right side of work facing, and using No. 12 Needles, knit up 166 [B—170] [C—174] sts. evenly round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row eight times. Cast off in rib.
Work other Armhole Band in same manner.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing, and an $\frac{1}{8}$ of an inch back-stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. If desired, embroider as illustrated. Finally, press all seams.

Des (continued from page 5)

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-five times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.20 [B—K.24], P.1, K.2, P.1, K.4, P.1, K.6, P.1, K.4, P.1, K.2, P.1, K.20 [B—K.24].

2nd and 4th rows.—Purl.

3rd row.—K.20 [B—K.24], P.1, K.2, P.1, K.4, P.1 ("Twist 3"), twice, P.1, K.4, P.1, K.2, P.1, K.20 [B—K.24].

5th row.—Like 1st row. **6th row.**—Purl.

Continue in patt., inc. once at each end of needle in next and every following 8th row, until there are 100 [B—108] sts. on needle.

Continue in patt. without shaping, until work measures 20 [B—20½] ins. (or length desired) from commencement.

Dec. once at each end of needle in next and every alt. row, until 32 [B—36] sts. remain.

Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

THE NECKBAND.—Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 80 sts. along left side of neck (knitting up last st. from centre front), 79 sts. along right side of neck, and 37 sts. across back of neck. (196 sts.)

Work 9 rows in K.1, P.1 rib, dec. 1 st. at each side of centre point of "V" Neck in every row. Cast off in rib.

THE ARMHOLE BANDS.—Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up left shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 180 [B—186] sts. round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row eight times. Cast off in rib.

Work other Armhole Band in same manner.

TO MAKE UP PULLOVER.—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an $\frac{1}{8}$ of an inch back-stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

Maxwell (continued from page 6)

THE BACK.—Work exactly as given for Front to ***. Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 10 [B—10] [C—11] sts., turn.

3rd and 4th rows.—Work to last 20 [B—20] [C—22] sts., turn.

5th and 6th rows.—Work to last 30 [B—30] [C—33] sts., turn.

7th and 8th rows.—Work to last 40 [B—41] [C—43] sts., turn.

9th row.—Work to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 80 [B—80] [C—84] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-nine times, inc. once at end of last row. (81 [B—81] [C—85] sts.)

Using No. 10 Needles, proceed as follows:—

Work as given from ** to ** for Front once.



SOME IMPORTANT INFORMATION



Avoid disappointment — buy the wool recommended. Buy wisely — buy enough — the same blend cannot be repeated.

TENSION is the number of stitches in width to measure one inch. On this depends the success of the finished article. Before commencing work, always check your tension by knitting a small square, using wool and size of needles given in the recipe. If the correct tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

ABBREVIATIONS:

K. = Knit plain
P. = Purl
sts. = stitches
ins. = inches
wl. fwd. = wool forward
p.s.s.o. = pass slip stitch over

w.o.n. = wool over needle
w.r.n. = wool round needle
t.b.l. = through the back of the loop
tog. = together
beg. = beginning
inc. = increase

dec. = decrease
alt. = alternate
rep. = repeat
patt. = pattern
incl. = inclusive
Garter Stitch = every row plain

ch. = chain
tr. = treble
s.c. = single crochet
d.c. = double crochet
l.tr. = long treble (wool over hook twice)
sl. st. = slip stitch
sp. = space

When the instructions read, "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

Keeping continuity of patt., inc. once at each end of needle in next and every 8th row, until there are 119 [B—119] [C—123] sts. on needle.

Continue in patt. without shaping, until side edge measures, all sizes, 20½ ins. (or length desired) from commencement.

Cast off 5 [B and C—5] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row, until 31 [B and C—31] sts. remain. Cast off. Work another Sleeve in same manner.

THE NECKBAND—(All Sizes). Using an ¼ of an inch back-stitch seam, sew up right shoulder seam. With right side of work facing, and using No. 12 Needles, knit up, for Pullover with Sleeves 71 sts. Sleeveless 79 sts. along left side of neck (knitting up last st. from centre front) for Pullover with Sleeves 70 sts. Sleeveless 78 sts. along right side of neck and 45 sts. across back of neck. (186, Sleeveless 202 sts.) Work 10 rows in rib, dec. once at each side of centre point of "V" Neck in every row. Cast off loosely in rib.

THE ARMHOLE BANDS—(All sizes). Using an ¼ of an inch back-stitch seam, sew up left shoulder seam. With right side of work facing, and using No. 12 Needles, knit up 172 sts. evenly round armhole. Work 10 rows in K.1, P.1, rib. Cast off loosely in rib. Work other Armhole Band in same manner.

PULLOVER WITH ROUND NECK:

THE FRONT—Work exactly as given for Pullover with "V" Neck to ***.

For Pullover with Sleeves: Work 37 rows without shaping.

For Pullover without Sleeves: Work 53 rows without shaping.

In next row.—Work 48 [B—49] [C—51] sts. in patt., cast off 29 sts., work in patt. to end of row.

Continue on last 48 [B—49] [C—51] sts., dec. once at neck edge in every 3rd row, until 40 [B—41] [C—43] sts. remain.

Work 15 rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 10 [B—10] [C—11] sts., turn.

2nd and 4th rows.—Work to end of row.

3rd row.—Work to last 20 [B—20] [C—22] sts., turn.

5th row.—Work to last 30 [B—30] [C—33] sts., turn.

6th row.—Work to end of row. Cast off.

Join in wool, and work on remaining sts. to correspond with other side.

THE BACK—Work as for Pullover with "V" Neck.

THE SLEEVES—Work as for Pullover with "V" Neck.

THE NECKBAND—(All sizes). Using an ¼ of an inch back-stitch seam, sew up shoulder seams.

With right side of work facing, and using set of four No. 12 Needles, knit up 152 sts. evenly round neck.

Work 10 rounds in K.1, P.1, rib. Cast off loosely in rib.

THE ARMHOLE BANDS—Work as for Pullover with "V" Neck.

TO MAKE UP PULLOVER—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing, and an ¼ of an inch back-stitch seam for other seams, sew up left shoulder, side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.

Errol *(continued from page 7)*

Continue in patt. without shaping, until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work in patt. to last 7 [B—7] sts., turn.

3rd and 4th rows.—Work in patt. to last 14 [B—14] sts., turn.

5th and 6th rows.—Work in patt. to last 21 [B—22] sts., turn.

7th and 8th rows.—Work in patt. to last 28 [B—30] sts., turn.

9th row.—Work in patt. to end of row.

10th and 11th rows.—Cast off 34 [B—36] sts., work in patt. to end of row.

Leave remaining 35 [B—39] sts. on a stitch holder.

THE SLEEVES—Using No. 12 Needles, cast on 70 [B—76] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row forty-seven times, inc. once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

1st row.—K.3 [B—K.6], * K.8, P.5, K.9, rep. from * to last 2 [B—5] sts., K.2 [B—K.5].

2nd row.—Purl.

Rep. 1st and 2nd rows once, then 1st row once.

6th row.—P.3 [B—P.6], * P.7, K.1, P.5, K.1, P.8, rep. from * to last 2 [B—5] sts., P.2 [B—P.5].

7th row.—K.3 [B—K.6], * K.6, P.1, K.7, P.1, K.7, rep. from * to last 2 [B—5] sts., K.2 [B—K.5].

8th row.—P.3 [B—P.6], * P.5, K.1, P.9, K.1, P.6, rep. from * to last 2 [B—5] sts., P.2 [B—P.5].

9th row.—K.7 [B—P.1, K.9], * P.1, K.11, P.1, K.9, rep. from * to last 20 sts. [B—last st], P.1, K.11, P.1, K.7 [B—P.1].

10th row.—P.3 [B—P.1, K.1, P.4], * P.3, K.1, P.13, K.1, P.4, rep. from * to last 2 [B—5] sts., P.2 [B—P.3, K.1, P.1].

11th row.—K.5 [B—K.2, P.1, K.5], * P.1, K.15, P.1, K.5, rep. from * to end of row [B—to last 3 sts., P.1, K.2].

12th row.—K.5 [B—P.3, K.5], * P.17, K.5, rep. from * to end of row [B—to last 3 sts., P.3].

13th row.—Knit plain.

Rep. 12th and 13th rows once, then 12th row once.

17th row.—Like 11th row.

18th row.—Like 10th row.

19th row.—Like 9th row.

20th row.—Like 8th row.

21st row.—Like 7th row.

22nd row.—Like 6th row.

Keeping continuity of patt., inc. once at each end of needle in next and every following 8th row, until there are 105 [B—111] sts. on needle.

Continue in patt. without shaping, until work measures 20 [B—20½] ins. (or length desired) from commencement.

Dec. once at each end of needle in next and every alt. row, until 33 [B—33] sts. remain. Cast off.

Work another Sleeve in same manner.

THE ROUND NECK—Using an ¼ of an inch back-stitch seam, sew up shoulder seams. With right side of work facing, and using four No. 12 Needles, proceed as follows:—

1st Needle.—Knit across 35 [B—39] sts. from Back stitch holder.

2nd Needle.—Knit up 32 [B—34] sts. along left side of neck and 10 [B—11] sts. from Front stitch holder.
3rd Needle.—Knit across remaining 9 [B—10] sts. from Front stitch holder, and 32 [B—34] sts. along right side of neck. (118 [B—128] sts.)

1st round.—* K.1, P.1, rep. from * to end of round. ** Rep. 1st round nine times. Cast off in rib.

THE POLO NECK—Work exactly as given for Round Neck to **.

Rep. 1st row fifty-five times. Cast off in rib.

TO MAKE UP PULLOVER—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an $\frac{1}{8}$ of an inch back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Finally, press all seams.

Havel *(continued from page 9)*

1st round.—* K.2, P.2, rep. from * to end of round. Rep. 1st round for 5 ins. Cast off loosely in rib.

TO MAKE UP PULLOVER—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and an $\frac{1}{8}$ of an inch back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Finally, press all seams.

Duncan *(continued from page 10)*

THE SLEEVES—Using No. 10 Needles, cast on 58 [B—68] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row twenty-three [B—twenty-nine] times, inc. once at end of needle in last row.

Using No. 8 Needles, work as given from ** to ** for Front once.

Keeping continuity of patt., inc. once at each end of needle in next and every following 6th row, until there are 93 [B—99] sts. on needle.

Continue in patt. without shaping, until work measures 20 [B—20½] ins. (or length desired) from commencement.

Dec. once at each end of needle in next and every alt. row, until 71 [B—77] sts. remain, then in every row, until 35 [B—37] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up shoulder seams.

With right side of work facing, and using four No. 10 Needles, knit up 31 [B—33] sts. evenly across back of neck, 55 [B—59] sts. along left side of neck, (knitting up last st. from centre front), and 54 [B—58] sts. along right side of neck. (140 [B—150] sts.)

1st round.—* K.1, P.1, rep. from * to end of round.

2nd round.—(K.1, P.1), forty-two [B—forty-five] times, slip 1, K.1, p.s.o., K.1, K.2 tog., (P.1, K.1), twenty-five [B—twenty-seven] times, P.1.

Work 7 rounds in rib, dec. once at each side of centre point of "V" neck in every alt. round. Cast off loosely in rib.

THE ARMHOLE BANDS—With right side of work facing, and using No. 10 Needles, knit up 120 [B—132] stitches evenly round armhole.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row eight times. Cast off loosely in rib.

Work other Armhole Band in same manner.

PULLOVER WITH POLO COLLAR:

THE FRONT—Work exactly as given for Pullover with "V" Neck to ***.

Dec. once at each end of needle in next and every alt. row, until 89 [B—93] sts. remain.

Work 33 [B—35] rows in patt. without shaping.

In next row.—K.36 [B—K.38], cast off 17 sts., work to end of row.

Dec. once at neck edge in every alt. row, until 29 [B—30] sts. remain.

Work 4 rows without shaping.

Shape shoulder as given for Pullover with "V" Neck. Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK AND SLEEVES—Work as given for Pullover with "V" Neck.

THE POLO COLLAR—Using an $\frac{1}{8}$ of an inch back-stitch seam, sew up shoulder seams.

With right side of work facing, and using four No. 10 Needles, knit up 104 sts. evenly round neck.

1st round.—* K.1, P.1, rep. from * to end of round.

Rep. 1st round for 5 ins. Cast off loosely in rib.

TO MAKE UP PULLOVER—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing, and an $\frac{1}{8}$ of an inch back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seam to seam. For Pullover without Sleeves: Sew up side seams. Finally, press all seams.



Wholly Set up and Printed in Australia

Published With All Rights Reserved by

Trade Marks Registered in Australia

PATONS & BALDWIN'S
(AUSTRALIA) LIMITED

Registered Office: 84-94 Flinders Lane, MELBOURNE C1

SYDNEY BRANCH: 181 Clarence Street

Patons

KNITTING BOOK NO. 361



"WALLY"—See page 11

1/6^{d.}

P&B
WOOLS